

# Tracing Linguistic Relations in Winning and Losing Sides of Explicit Opposing Groups

**Ceyda Sanli, Anupam Mondal**

Rolls-Royce@NTU Corporate Lab  
Nanyang Technological University  
{ceyda, manupam}@ntu.edu.sg

**Erik Cambria**

School of Computer Science and Engineering  
Nanyang Technological University  
cambria@ntu.edu.sg

## Abstract

Linguistic relations in oral conversations present how opinions are constructed and developed in a restricted time. The relations bond ideas, arguments, thoughts, and feelings, reshape them during a speech, and finally build knowledge out of all information provided in the conversation. Speakers share a common interest to discuss. It is expected that each speaker's reply includes duplicated forms of words from previous speakers. However, linguistic adaptation is observed and evolves in a more complex path than just transferring slightly modified versions of common concepts. A conversation aiming a benefit at the end shows an emergent cooperation inducing the adaptation. Not only cooperation, but also competition drives the adaptation or an opposite scenario and one can capture the dynamic process by tracking how the concepts are linguistically linked. To uncover salient complex dynamic events in verbal communications, we attempt to discover self-organized linguistic relations hidden in a conversation with explicitly stated winners and losers. We examine open access data of the United States Supreme Court. Our understanding is crucial in big data research to guide how transition states in opinion mining and decision-making should be modeled and how this required knowledge to guide the model should be pinpointed, by filtering large amount of data.

## Introduction

Traditionally, in computational linguistics, it is essential to integrate models and algorithms with fundamental laws of language. Widely applied hierarchical dependency trees and parsing in natural language processing (NLP) follow existing grammatical relations. Nowadays, while algorithms and models reach higher levels and available data becomes bigger, not enough linguistic laws are uncovered and can have a chance to meet with developed techniques. Language processing in data science mainly considers evaluated data as single source in terms of language. There are approaches such as cross-media topic analysis, retrieving information referring various data platforms including websites, blogs, and mobile phones, and multimodal analysis (Poria et al. 2016; 2017a; 2017b), combining text data with images, videos, and audio, however, they only gather all available channels and do not address the richness of language.

On the other hand, language itself has many dimensions, language of a text written by a single author is different than language used in a dialogue or that of a group speech, e.g., trialogue discussions. Therefore, it is emergent that current conventional NLP should meet with the revolutionary philosophy of linguistics (Chomsky 1975) and establish new hidden laws applicable in data science: the human mind easily knows and applies by birth, but hardly formulates to understand the underlying structure.

One of the remarkable perspectives to dig into natural linguistic laws is provided by social and behavior sciences, adaptation in language during communication as a result of changes in opinions and decisions. Opinions and decisions are personal in individual level, however, they are flexible while facing public opinions and decisions. Linguistic adaptation is twofold. In one part, collective voice unifies opinions and decisions in a complex process, ideas are biased, and consequently people start acting similarly, talking similarly, and so writing similarly. Twitter conversations (Danescu-Niculescu-Mizil, Gamon, and Dumais 2011; Purohit et al. 2013) and popular memes (Myers and Leskovec 2012; Coscia 2013) prove this similarity in social media.

In the other part, when people have a well-defined goal at the end, they tend to reshape their arguments. In the presence of distinct winning and losing sides and social hierarchy, people at lower status show both cooperation through that at the higher status and competition among each other. Therefore, a verbal discussion in such explicitly opposing groups host linguistic adaptation, investigated in social exchange theory (Willer 1999; Thye, Willer, and Markovsky 2006). While information and emotions are the fundamental elements of human knowledge, commonsense knowledge is the fundamental element for gluing society (Cambria et al. 2009; 2016). Commonsense is implicit semantic and affective information humans continuously tap on for decision-making, communication, and reasoning in general (Cambria and Hussain 2015; Rajagopal et al. 2013; Poria et al. 2013; Tran, Cambria, and Hussain 2016). Effective speeches and public talks use commonsense efficiently to drive opinions and change decisions in large scales (Drath and Palus 1994). The resultant unified collective motion is extremely interesting in social groups (Borge-Holthoefter et al. 2011; Gonzalez-Bailon et al. 2011).

Opinions and decisions are personal in individual level. However, as observed, they are quite flexible facing with a collective decision. Complex knowledge extraction process in micro state suddenly becomes less valuable and group decision gains (Conover et al. 2011). We can argue that our opinions are biased when our decisions mostly rely on our previous knowledge, e.g., commonsense, and so richness of opinions kept in each individual is relatively unimportant. We can further argue that commonsense drives an adaptation in extracting knowledge. To measure commonsense for a particular situation is hard, however, adaptations can be easily captured in Twitter conversations (Danescu-Niculescu-Mizil, Gamon, and Dumais 2011; Purohit et al. 2013), in memes (Myers and Leskovec 2012; Coscia 2013), and face-to-face discussions (Danescu-Niculescu-Mizil et al. 2012).

In this paper, our main concerns are firstly to construct discussion groups including agents having different social powers and serving opposite aims. Secondly, we investigate how we can track the progress of opinions together with their influences on decisions in oral conversations. We claim that linguistic relations (Poria et al. 2015) preserve all rich phenomena, shortly discussed above, including collective voice, reshaping arguments, and so adaptation. To analyze adaptation induced by both cooperation and competition, we consider court conversations: they are held in clearly stated winner and loser groups with distinct hierarchy in decision-making due to the presence of Justices and lawyers.

To this end, we evaluate the open access data of the United States Supreme Court (Hawes, Lin, and Resnik 2009; Hawes 2009; Danescu-Niculescu-Mizil et al. 2012), prepare conversation groups with different adaptation levels, implement a suitable algorithm to extract linguistic relations in these group conversations, and finally provide a comparison between the groups and the discovered linguistic relations.

The rest of the paper is organized as follows: the first section presents the dataset we consider and designed conversation groups out of the data; the second section describes our algorithm in detail; the following section explains how we implement pointwise mutual information for the conversation groups and then link with linguistic relations; finally, we provide experimental results and conclude the paper.

## Supreme Court Data

We borrow the textual data of the conversations in the United States Supreme Court pre-processed by (Hawes, Lin, and Resnik 2009; Hawes 2009) and enriched by (Danescu-Niculescu-Mizil et al. 2012) including the final votes of Justices. Both the original data and the most updated version used here are publicly available (Danescu-Niculescu-Mizil et al. 2012). The data gathers oral speeches before the Supreme Court and hosts 50,389 conversational exchanges among Justices and lawyers.

Distinct hierarchy between Justices (high power) and lawyers (low power) impose lawyers to tune their arguments under the perspective and understandings of Justices, and as a result, speech adaptation and linguistic coordination leaves their traces in a sudden occurrence of sharing the same adverbs, conjunctions, and pronouns. Tracking initial utterances, the sides present a unique and personal speaking, but

after a while in the communication, word selections, their forms, and frequencies mirror each other’s language preference. The linguistic coordination is systematically quantified by (Danescu-Niculescu-Mizil et al. 2012) and the arguments follow the principles of exchange theory examining behavior dynamics in low and high power groups (Willer 1999; Thye, Willer, and Markovsky 2006): Lawyers tend to cooperate more to Justices than conversely and demonstrate strong linguistic coordination in their speech. Moreover, lawyers show even more cooperation to unfavorable Justices than favorable ones.

Here, we enrich the comparison including the identity of winners and losers in lawsuits. The data provides whether the petitioner or the respondent is the winner at the end of each lawsuit. In addition, the speaker of each utterance is labeled as their position, e.g., Justice or lawyer. Furthermore, Justice’s votes and the side of lawyers are tagged with the utterances. Table 1 identifies all roles carried by Justices and lawyers. For Justices, both the vote (middle) and whom to speak (last) are given. Lawyers are allowed to speak only when Justices address their side.

ID	Roles of Justices ( $J$ ) and Lawyers ( $l$ )
1	$J$ - Vote Petitioner - Speak to Petitioner’s $l$
2	$J$ - Vote Petitioner - Speak to Respondent’s $l$
3	$J$ - Vote Respondent - Speak to Petitioner’s $l$
4	$J$ - Vote Respondent - Speak to Respondent’s $l$
5	$l$ - Petitioner Side
6	$l$ - Respondent Side

Table 1: The segregation schema of the roles in conversations: Support sides of Justices and sides of lawyers. 1-6 summarize all potential roles present in the data. In 1-4, who supported by the Justice is given in the middle. Furthermore, the last indicates the side of lawyer the Justice speaks to.

Referring exchange theory (Willer 1999; Thye, Willer, and Markovsky 2006) and the measured coordination (Danescu-Niculescu-Mizil et al. 2012), one can order the relative power of each Justice and lawyer pair

$$P(J_u, l) > P(J_s, l), \quad (1)$$

where  $J$  and  $l$  represent Justices and lawyers, respectively (note that for comparing individually following the social exchange theory,  $P(J) > P(l)$  for both supportive and unsupported Justices). The subscript  $u$  indicates that Justice doesn’t support the side of lawyer and the supportive version is described by  $s$ . For instance, in Table 1, in the communications of 1 and 5; 4 and 6, Justices show supports and play as  $J_s$ , whereas that of 3 and 5; 2 and 6, lawyers are unsupported by  $J_u$ . The scenarios and pairs guide to construct groups with different cooperation level induced by  $P$  as illustrated in Table 2.

We further add another dimension in the relative power: Winners and Losers, haven’t been investigated in the previous study (Danescu-Niculescu-Mizil et al. 2012). To this end, Eq. 1 is reformulated

$$P(J_u, l)_{\text{win}} > P(J_s, l)_{\text{win}}, \quad (2)$$

$$P(J_u, l)_{\text{lose}} > P(J_s, l)_{\text{lose}}. \quad (3)$$

Group ID	Cooperation	Pool of $J$ and $l$
I.i	supportive, $P(J_s, l)$	1 and 5
I.ii	unsupported, $P(J_u, l)$	3 and 5
II.i	unsupported, $P(J_u, l)$	2 and 6
II.ii	supportive, $P(J_s, l)$	4 and 6

Table 2: Grouping communications with respect to level of cooperation, based on the relative power of the partners in the conversations. 1-6 and the power pairs  $P(J_s, l)$  and  $P(J_u, l)$  as defined previously.

Here, win and lose subscripts highlight that the concerned Justice and lawyer pairs are the partners in a won or lost lawsuit. As an illustration,  $P(J_s, l)_{\text{win}}$  occurs in the group I.i when petitioners are the winner and also in II.ii while respondents are the winners of the lawsuits. On the other hand,  $P(J_s, l)_{\text{lose}}$  is the Justices-lawyers of I.i in respondent won lawsuits as well as of II.ii in petitioner won lawsuits. The situations are generated for the unsupported Justice-lawyer groups and all are listed in Table 3.

$\kappa$	Cooperation	Gathering Group ID
<i>A</i>	supportive, win: $P(J_s, l)_{\text{win}}$	I.i of Pe + II.ii of Re
<i>B</i>	supportive, lose: $P(J_s, l)_{\text{lose}}$	I.i of Re + II.ii of Pe
<i>C</i>	unsupported, win: $P(J_u, l)_{\text{win}}$	I.ii of Pe + II.i of Re
<i>D</i>	unsupported, lose: $P(J_u, l)_{\text{lose}}$	I.ii of Re + II.i of Pe

Table 3: Designed conversation groups  $\kappa$  based on different expectations for the level of linguistic coordination, induced by distinct  $P$ . The groups  $\kappa$  are presented in *A*, *B*, *C*, and *D*, whether they preserve supportive or unsupported conversations as well as a winner or loser status stated by the Supreme Court. Pe and Re represent the particular lawsuits where Petitioner and Respondent as the winner, respectively. Gathered conversations of the cases I.i, I.ii, II.i, and II.ii and the relative powers  $P$  are as introduced earlier.

Calculating utterances in  $\kappa$ , we have 21,105 for *A*, 15,116 for *B*, 15,489 for *C*, and 24,461 for *D*, gathered by different combinations of 195 lawsuits. The large number of each pool convinces that we have enough examples to perform statistics and our measurement won't be biased by the size effect. On the other hand, noting the total number of 50,389 utterances, almost the half of the data presents  $P(J_u, l)_{\text{lose}}$  type social relations, e.g., case *D*. Eqs. (2) and (3) do not include the comparison of  $\{P(J_u, l)_{\text{win}}; P(J_s, l)_{\text{lose}}\}$  and  $\{P(J_u, l)_{\text{lose}}; P(J_s, l)_{\text{win}}\}$  on purpose since it is unknown whether  $P(J_u, l) > P(J_s, l)$  is still valid in the presence of win and lose, bringing interesting perspective while coupling the power hypothesis with the cooperation and not considered in social exchange theory. We aim to understand this full picture by correlating determined linguistic relations with the separated relative power groups.

## Linguistic Relation Extraction

The Supreme Court hosts lawsuits of rich subjects. To design specific linguistic relations in each distinct lawsuit is challenging and not required. Our aim is to suggest relations suit-

able for any discussion concept. To generalize the task, we first determine noun phrases in the data following the definition in (Pennacchiotti and Pantel 2006). The phrases are combinations of adjectives and nouns. The technical steps include standard part-of-speech tagging including grammar based chunk parser. We then restrict our attention to address the relations linking only determined noun phrases within one sentence. The data shows utterances of grammatically correct and well-organized sentences. To this end, we apply rule-based relation extraction. While Fig. 1 shows each step of the developed algorithm, steps (A-C) indicate the discussed concept recognition of noun phrases.

The rule-based schema starts with first restricting linguistic relations and then constructing static surface patterns (regular expressions) for them. The assigned patterns run as an iterative process searching the exact match of the real patterns between any concept pair, which is any noun phrase pair here. Within a sentence, multiple relations can be addressed based on the comparison in the iteration, to capture both different relations or the same relation but with the different patterns. To balance the relations without overweighing extreme cases, we first apply classical IsA (Hearst 1992) and PartOf (Girju, Badulescu, and Moldovan 2003) relations. The patterns of the relations follow both lexicosyntactic formalisms (Klaussner and Zhekova 2011) and manual investigations of the data.

We then recommend further relations as UsedBy, UsedFor, UsedIn, UsedOver, and UsedWith to cover the rest of the data. The Used relations do not accumulate for certain lawsuits and nicely distribute over entire data, which provides us reliable analysis. Fig. 1(D and E) highlight the iteration process to detect all potential relations. To illustrate the outcome of our algorithm, we provide examples for each relation. They are given with the detected noun phrases in Table 4. The identity of the sentences, a-g, are to guide the following concerned examples, where the linked noun phrases are highlighted in bold:

- (a) That was so because her **claim** is that J.Howard intended to give her a **catchall\_trust**.
- (b) And when you look at the **core.value** of the two **clauses**, they do not clash.
- (c) And what I'm trying to do here for the Court is to draw upon your own **authority**, the word you've spoken, as opposed to the **test** proposed by the **Criminal\_Justice\_Foundation** and by the **United\_States**.
- (d) One, the manufacturing-process allows there to be a **safe\_use** for one of the **components** in **marijuana**.
- (e) The **phrase\_Justice\_Harlan** used in the **Davis\_case**.
- (f) For 124 years, as **state\_power** over **alcohol** has ebbed and flowed.
- (g) The **haulers** are required today to comply with the **program**.

The validation of the discovered linguistic relations and their suggested patterns are systematically satisfied by the following protocol. From each conversation group  $\kappa$  in Table 3, 1000 utterances are randomly selected. Utterances present averages sentences of 2-4, the minimum is for the group *C*,  $P(J_u, l)_{\text{win}}$ , and the maximum for group *D*,  $P(J_u, l)_{\text{lose}}$ .




Figure 1: Flow diagram of the rule-based relation extraction algorithm. The important steps are summarized from (A) to (F): (A-C) present suggesting concepts based on noun phrases of combined adjectives and nouns. (D-E) describe the iteration of applying designed static surface patterns (regular expressions) together with supervising for the 6 relations, namely, IsA, PartOf, UsedBy, UsedFor, UsedIn, UsedOver, and UsedWith. (F) indicates the final step of validation compared with the manual annotation set and formulating again regular expressions in (D) to increase the performance.

Relation	Linked Noun Phrases	Sent. ID
IsA	claim :: catchall_trust	(a)
PartOf	core_value :: clauses	(b)
UsedBy	test :: Criminal_Justice_Foundation, United_States	(c)
UsedFor	safe_use :: components, marijuana	(d)
UsedIn	phrase_Justice_Harlan :: Davis_case	(e)
UsedOver	state_power :: alcohol	(f)
UsedWith	haulers :: program	(g)

Table 4: Extracted relations with our algorithms and the corresponded (linked) noun phrases. Sent. ID refers the labeled example sentences above in the main text.

Then, manual annotations are provided for each pool, which works as the ground truth, and the patterns are re-adjusted if necessary based on the performance, as shown

in Fig. 1(D-F). The overall average scores, comparing the relations generated by our algorithm with the ground truth, are obtained as 59.92% for Recall, 67.2% for Precision, and 63.35% for the resultant F1. The scores are relatively higher than that of the rule-based relation extraction algorithms for more general purposes applied in large data sets (Pantel, Ravichandran, and Hovy 2004). Our manual efforts, the grammatically correct sentences, and relatively small and well-organized data are the reasons behind the good performance. However, we observe that the foremost reason is the linguistic coordination extracting many relations from the same static patterns.

In the rest of the paper, we will demonstrate how we interpret these linguistic relations in the Supreme Court conversation groups of different relative powers.

### Pointwise Mutual Information

Pointwise mutual information (PMI) is a metric to measure coincidence of two discrete random events. It combines individual probabilities of events and their joined probability to determine how often the two events occur at the same occasion. We quantify to what extend linguistic relations  $R$  are addressed by conversation groups  $\kappa$  and whether we observe any variation in the selections.

To this end, PMI between  $R$  and  $\kappa$  is introduced (Pantel, Ravichandran, and Hovy 2004)

$$MI(R, \kappa) = \log \frac{\frac{f(R, \kappa)}{N}}{\frac{\sum_{\text{all } R} f(R_i, \kappa)}{N} \times \frac{\sum_{\text{all } \kappa} f(R, \kappa_j)}{N}}. \quad (4)$$

Here,  $f(R, \kappa)$  represents the frequency of occurrence for certain  $R$  in particular  $\kappa$  and  $N$  is the total number of all  $R$  in all  $\kappa$ . So, while the numerator describes the probabilistic occurrence of  $R$  in  $\kappa$ , the denominator provides individual probability of  $R$  and that of  $\kappa$  in the pool. We expect high  $MI(R, \kappa)$  while  $R$  appears in a specific  $\kappa$  and that is an indicator of its rare presence in the other conversation groups.

Unlike the previous study (Danescu-Niculescu-Mizil et al. 2012), entirely tracking back and forth utterances and proving the adaptation, e.g., linguistic coordination, by identifying the frequency of selected keywords, we directly utilize their overall conclusion and claim that linguistic relations already preserve the adaptation and any other complex collective linguistic process induced by both cooperation and competition in different power groups. We expect that the variation in  $MI(R, \kappa)$  of gathered utterances of each relative power group, independent of the utterance order, suggests which relations can distinguish the difference in the groups and the magnitude of  $MI(R, \kappa)$  of that difference highlights which relative power groups drastically influence the applied language. We will analyze  $MI(R, \kappa)$  following this discussed understanding in coming Section.

### Results

We perform  $MI(R, \kappa)$  for each group  $\kappa$  separated by different coordination level and linguistic dynamics, expected due the distinct relative powers as introduced in Table 3,

and each relation  $R$  described in Section Linguistic Relation Extraction. The results are presented in Fig. 2 and suggests rich behavior. First,  $MI$  for the relations IsA, PartOf, and UsedBy is almost indistinguishable overall  $\kappa$ . We understand that these relations cannot uncover the linguistic variations in different power groups. This is an obvious outcome of NLP and examining sentences by lexico-syntactic patterns: Any sentence can consider them with no complex linguistic process such as coordination and competition. On the other hand, we observe quite remarkable separation starting with UsedFor. Successfully, the results of UsedIn, UsedOver, and UsedWith show that their appearances in  $\kappa$  are not arbitrary.




Figure 2: PMI between relations  $R$  and conversation groups  $\kappa$ :  $MI(R, \kappa)$ . The overall values indicate that, unlike IsA, PartOf, and UsedBy relations, the occurrences of UsedFor, UsedIn, UsedOver, and UsedWith are driven by the relative power and the resultant linguistic coordination and further complex process. The marker representations are as follows: Circles (blue) for  $A$ , squares (red) for  $B$ , left triangles (green) for  $C$ , and right triangles (yellow) for  $D$ .

Evaluating the results in more detail, let us remind Table 3.  $A$  is expected to have the least relative power,  $P(J_s, l)_{win}$ , and consequently, no significant variation is observed. However, the situations are much more challenging for  $B$ ,  $C$ , and  $D$ : They face with many conceptual challenges while defending their sides and competing with the opposite arguments,  $C$  and  $D$ , and to experiment different communications in a losing state,  $B$  and  $D$ . Each difficulty is a potential origin of the competition, some can build sufficient cooperation and make the lawyer winner,  $C$ , some cannot help to overcome the situation, keep the coordination limited, and so we experience lost lawsuits,  $B$  and  $D$ . To remind,  $B$  for  $P(J_s, l)_{lose}$ ,  $C$  for  $P(J_u, l)_{win}$ , and  $D$  for  $P(J_u, l)_{lose}$ . If we just call social exchange theory, for any measurable linguistic quantity, we would need to have  $A \equiv B$  and  $C \equiv D$ . However, we show that the win and lose

states impose observable deviations and none group resembles each other, oppositely, each presents very unique behavior. In a simplified picture,  $MI(R, \kappa)$  for  $C$  always indicates significantly positive values. This proves that the utterances in  $C$  consider all type of relations, can be the reason behind the success of the “win” state in spite of the presence of unsupported Justices.

## Conclusion

We investigated the linguistic dynamics in terms of a restricted set of linguistic relations in oral conversations while the actors have different powers such as Justices (high power) and lawyers (low power) in the United States Supreme Court. Initially, defined cooperation of lawyers to Justices and the resultant linguistic coordination are only based on the relative power. This is a microscopic picture underestimating the dynamics of emergent competition arises in a losing state (lost lawsuits), which can change the nature of the linguistic coordination and make the linguistic relations richer. Our argument is proven by measuring  $MI(R, \kappa)$  always positive for the group  $C$ ,  $P(J_u, l)_{win}$ . Novelty of our approach is that it evaluates supportive and unsupported situations in more realistically. The principle of exchange theory suggests  $P(J_u, l) > P(J_s, l)$  and one should expect high coordination in the former.

However, this can be always true if there is no explicitly stated decision at the end of the communication: Winner or loser lawyer. We can observe  $P(J_s, l)_{lose} \simeq P(J_u, l)_{lose}$  and so the linguistic coordination (dynamics) for both can be comparable, as we trace in our result, e.g., very similar trend of  $MI(R, \kappa)$  for groups  $B$  and  $D$ . Therefore, both social exchange theory and their impacts on the linguistic behavior need to be reinterpreted under exogenous factors such as win-lose situations. Furthermore, we experience that the rule-based relation extraction is well-applicable for speech data, in this grammatically correct form with minor noise, because of the presence of the linguistic adaptation, providing a better performance than its usage for other type of textual data such as internet data. Furthermore,  $MI(R, \kappa)$  brings another perspective to uncover complex linguistic dynamics, including cooperation and competition, and discover the correlations between the linguistic relations and the relative powers. We establish the preliminary set-up to examine the linguistic dynamics of dialogue discussions hosting in social groups with distinct hierarchy.

Our main conclusion is that win and lose states impose further complexity and change the conventional application of social exchange theory in language and communication. In our future study, we attempt to analyze back and forth utterances in detail regarding semantics bonding by the linguistic relations by applying advanced tools.

## Acknowledgments

This work was conducted within the Rolls-Royce@NTU Corporate Lab with support from the National Research Foundation (NRF) Singapore under the Corp Lab@University Scheme. We thank San Linn for his useful comments on the rule based relation extraction approach.

## References

- Borge-Holthoefer, J.; Rivero, A.; Garcia, I.; Cauhe, E.; Ferrer, A.; Ferrer, D.; Francos, D.; Iniguez, D.; Perez, M. P.; Ruiz, G.; Sanz, F.; Serano, F.; Vinas, C.; Tarancon, A.; and Moreno, Y. 2011. Structural and dynamical patterns on online social networks: the spanish may 15th movement as a case study. *PLoS ONE* 6:e23883.
- Cambria, E., and Hussain, A. 2015. *Sentic Computing: A Common-Sense-Based Framework for Concept-Level Sentiment Analysis*. Cham, Switzerland: Springer.
- Cambria, E.; Hussain, A.; Havasi, C.; and Eckl, C. 2009. *Common sense computing: From the society of mind to digital intuition and beyond*, volume 5707. Springer. 252–259.
- Cambria, E.; Poria, S.; Bajpai, R.; and Schuller, B. 2016. SenticNet 4: A semantic resource for sentiment analysis based on conceptual primitives. In *COLING*, 2666–2677.
- Chomsky, N. 1975. *Reflections on Language*. New York: Pantheon Books.
- Conover, M. D.; Ratkiewicz, J.; Francisco, M.; Goncalves, B.; Menczer, F.; and Flammini, A. 2011. Political polarization on twitter. In *Fifth International AAAI Conference on Weblogs and Social Media*, 89–96. AAAI Press.
- Coscia, M. 2013. Competition and success in the meme pool: A case study on quickmeme.com. In *Proceedings of the Seventh International AAAI Conference on Weblogs and Social Media (ICWSM)*, 100–109. AAAI Press.
- Danescu-Niculescu-Mizil, C.; Lee, L.; Pang, B.; and Kleinberg, J. 2012. Echoes of power: Language effects and power differences in social interaction. In *Proceedings of the 21st International Conference on World Wide Web, WWW '12*, 699–708. New York, NY, USA: ACM.
- Danescu-Niculescu-Mizil, C.; Gamon, M.; and Dumais, S. 2011. Mark my words!: Linguistic style accommodation in social media. In *Proceedings of the 20th International Conference on World Wide Web, WWW '11*, 745–754. New York, NY, USA: ACM.
- Drath, W. H., and Palus, C. J. 1994. *Making Common Sense: Leadership As Meaning-Making in a Community of Practice*. Greensboro, NC: Center for Creative Leadership.
- Girju, R.; Badulescu, A.; and Moldovan, D. 2003. Learning semantic constraints for the automatic discovery of part-whole relations. In *Proceedings of the 2003 Conference of the North American Chapter of the Association for Computational Linguistics on Human Language Technology - Volume 1, NAACL '03*, 1–8. Stroudsburg, PA, USA: Association for Computational Linguistics.
- Gonzalez-Bailon, S.; Borge-Holthoefer, J.; Rivero, A.; and Moreno, Y. 2011. The dynamics of protest recruitment through an online network. *Sci. Rep.* 1:197.
- Hawes, T.; Lin, J.; and Resnik, P. 2009. Elements of a computational model for multi-party discourse: The turn-taking behavior of supreme court justices. *Journal of the American Society for Information Science and Technology* 60(8):1607–1615.
- Hawes, T. 2009. Computational analysis of the conversational dynamics of the united states supreme court. Master's thesis, University of Maryland.
- Hearst, M. 1992. Automatic acquisition of hyponyms from large text corpora. In *Proceedings of the COLING 1992*, 539–545. France.
- Klaussner, C., and Zhekova, D. 2011. Lexico-syntactic patterns for automatic ontology building. In *Proceedings of the Student Research Workshop Associated with RANLP*, 109–114. ACL Press.
- Myers, S. A., and Leskovec, J. 2012. Clash of the contagions: Cooperation and competition in information diffusion. In *Proceedings of the IEEE International Conference On Data Mining (ICDM)*, 539–548. IEEE Press.
- Pantel, P.; Ravichandran, D.; and Hovy, E. 2004. Towards terascale knowledge acquisition. In *Proceedings of the 20th International Conference on Computational Linguistics, COLING '04*. Stroudsburg, PA, USA: Association for Computational Linguistics.
- Pennacchiotti, M., and Pantel, P. 2006. A bootstrapping algorithm for automatically harvesting semantic relations. In *Proceedings of Inference in Computational Semantics (IcoS-06)*, 87–96. ACL Press.
- Poria, S.; Gelbukh, A.; Agarwal, B.; Cambria, E.; and Howard, N. 2013. *Common sense knowledge based personality recognition from text*. Advances in Soft Computing and Its Applications. Springer. 484–496.
- Poria, S.; Cambria, E.; Gelbukh, A.; Bisio, F.; and Hussain, A. 2015. Sentiment data flow analysis by means of dynamic linguistic patterns. *IEEE Computational Intelligent Magazine* 10(4):26–36.
- Poria, S.; Chaturvedi, I.; Cambria, E.; and Hussain, A. 2016. Convolutional MKL based multimodal emotion recognition and sentiment analysis. In *ICDM*, 439–448.
- Poria, S.; Cambria, E.; Bajpai, R.; and Hussain, A. 2017a. A review of affective computing: From unimodal analysis to multimodal fusion. *Information Fusion* 37:98 – 125.
- Poria, S.; Peng, H.; Hussain, A.; Howard, N.; and Cambria, E. 2017b. Ensemble application of convolutional neural networks and multiple kernel learning for multimodal sentiment analysis. *Neurocomputing*.
- Purohit, H.; Hampton, A.; Shalin, V. L.; Sheth, A. P.; Flach, J.; and Bhatt, S. 2013. What kind of #conversation is twitter? mining #psycholinguistic cues for emergency coordination. *Computers in Human Behavior* 29(6):2438–2447.
- Rajagopal, D.; Cambria, E.; Olsher, D.; and Kwok, K. 2013. A graph-based approach to commonsense concept extraction and semantic similarity detection. In *WWW*, 565–570.
- Thye, S.; Willer, D.; and Markovsky, B. 2006. From status to power: New models at the intersection of two theories. *Social Forces* 84:1471–1495.
- Tran, H.-N.; Cambria, E.; and Hussain, A. 2016. Towards gpu-based common-sense reasoning: Using fast subgraph matching. *Cognitive Computation* 8(6):1074–1086.
- Willer, D. 1999. *Network Exchange Theory*. Praeger Press.